 <b>Axim</b> Italcementi Group	<h1 style="margin: 0;">SAFETY DATA SHEET</h1>	Page : 1 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 14 / 2 / 2007
<h2 style="margin: 0;">FIBRASOL 2F19</h2>		<h2 style="margin: 0;">AX-083</h2>

### 1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Identification of the product** : Fibrous.  
**Trade name** : FIBRASOL 2F19  
**Use** : Industrial.  
**Company identification** : AXIM  
 Usine Ciments Calcia  
 78931 Guerville Cedex FRANCE  
 Tél. +33 1 30 98 36 36  
 Tél. +33 1 30 98 36 32 Madame Lesêtre  
**Name and function of the responsible person** : Fleur Lesêtre - Responsable de laboratoire  
 email : FLesetre@axim.fr  
**Emergency phone nr** : Paris : +33 1 40 05 48 48  
**Responsible** : Fleur Lesêtre - email : FLesetre@axim.fr

### 2 HAZARDS IDENTIFICATION

**Symptoms relating to use**  
 - **Inhalation** : Dust from this product may cause respiratory irritation.  
 - **Skin contact** : Not expected to present a significant skin hazard under anticipated conditions of normal use.  
 - **Eye contact** : Dust from this product may cause eye irritation.  
 - **Ingestion** : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Must not come into contact with food or be consumed.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

**Components** : This product is not hazardous.


Substance name	Contents	CAS No	EC No	Annex No	Classification
Polypropylene	:	----	----	----	

### 4 FIRST AID MEASURES

**First aid measures**  
 - **Inhalation** : Assure fresh air breathing.  
 - **Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.  
 - **Eye contact** : Rinse immediately with plenty of water.  
 - **Ingestion** : Rinse mouth. Do not induce vomiting. Seek medical advice (show the label where possible).

### 5 FIRE-FIGHTING MEASURES

**Flammable class** : Combustible.  
**Extinguishing media** : All extinguishing media can be used.  
**Surrounding fires** : Do not use extinguishing media containing water.  
**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.  
**Special procedures** : Exercise caution when fighting any chemical fire.

 <b>Axim</b> Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 2 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 14 / 2 / 2007
<b>FIBRASOL 2F19</b>		<b>AX-083</b>

## 6 ACCIDENTAL RELEASE MEASURES

- General precautions** : Avoid raising powdered materials into airborne dust.
- Personal precautions** : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.
- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
- Clean up methods** : Collect spills and put it into appropriated container.

## 7 HANDLING AND STORAGE

- Storage** : Store in dry, cool, well-ventilated area. Keep container closed when not in use.
- Handling** : Do not breathe dust. Ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION


- Personal protection**
- **Respiratory protection** : Where excessive dust may result, wear approved mask.
  - **Hand protection** : In case of repeated or prolonged contact wear gloves.
  - **Skin protection** : Wear proper protective equipment.
  - **Eye protection** : Where excessive dust may result, wear goggles.
  - **Ingestion** : When using, do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

- Physical state at 20 °C** : Fibrous.
- Colour** : Characteristic.
- Odour** : Characteristic.
- pH value** : No data available.
- Melting zone [°C]** : 120 - 170
- Density** : 0.91
- Solubility in water** : Insoluble.
- Flash point [°C]** : Not applicable.
- Auto-ignition temperature [°C]** : > 360

## 10 STABILITY AND REACTIVITY

- Stability and reactivity** : Stable under normal conditions.
- Hazardous decomposition products** : On exposure to high temperature, may decompose, releasing toxic/flammable vapours.
- Materials to avoid** : None.
- Conditions to avoid** : Overheating. Sparks. Open flame.

 <b>Axim</b> Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 3 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 14 / 2 / 2007
<b>FIBRASOL 2F19</b>		<b>AX-083</b>

## 11 TOXICOLOGICAL INFORMATION

### Toxicity information

- Inhalation : Dust from this product may cause irritation to the respiratory tract.
- Ocular : Dust from this product may cause eye irritation.

## 12 ECOLOGICAL INFORMATION

Ecological effects information : No data available.

## 13 DISPOSAL CONSIDERATIONS

General : Dispose in a safe manner in accordance with local/national regulations.

## 14 TRANSPORT INFORMATION

General information : Not regulated.

## 15 REGULATORY INFORMATION

Symbol(s) : None.  
 R Phrase(s) : None.  
 S Phrase(s) : None.

## 16 OTHER INFORMATION

Further information : None.

The contents and format of this SDS are in accordance with Regulation (EC) N° 1907/2006 of the European Parliament and of the Council.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**End of document**