 <b>Axim</b> Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 1 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 2 / 8 / 2006
<h2>FIBRASOL 2P12</h2>		<h3>AX-070</h3>

### 1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Identification of the product** : Fibrous.  
**Trade name** : FIBRASOL 2P12  
**Use** : Industrial.  
**Company identification** : AXIM  
 Usine Ciments Calcia  
 78931 Guerville Cedex FRANCE  
 Tél. +33 1 30 98 36 36  
 Tél. +33 1 30 98 36 32 Madame Lesêtre  
**Name and function of the responsible person** : Fleur Lesêtre - Responsable de laboratoire  
 email : FLesetre@axim.fr  
**Emergency phone nr** : Paris : +33 1 40 05 48 48

### 2 HAZARDS IDENTIFICATION

**Symptoms relating to use**  
 - **Inhalation** : None under normal conditions.  
 - **Skin contact** : Not expected to present a significant skin hazard under anticipated conditions of normal use.  
 - **Eye contact** : Not expected to present a significant eye contact hazard under anticipated conditions of normal use.  
 - **Ingestion** : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Must not come into contact with food or be consumed.

### 3 COMPOSITION / INFORMATION ON INGREDIENTS

**Components** : This product is not hazardous.


Substance name	Contents	CAS No	EC No	Annex No	Classification
Polypropylene	Circa 100	----	----	----	

### 4 FIRST AID MEASURES

**First aid measures**  
 - **Inhalation** : Not expected to require first aid measures.  
 - **Skin contact** : Wash skin with mild soap and water.  
 - **Eye contact** : Rinse immediately with plenty of water.  
 - **Ingestion** : Ingestion unlikely. Not expected to require first aid measures.

### 5 FIRE-FIGHTING MEASURES

**Flammable class** : Combustible material.  
**Hazardous combustion products** : Under fire conditions, hazardous fumes will be present. Carbon dioxide. Carbon monoxide.  
**Extinguishing media** : All extinguishing media can be used.  
**Surrounding fires** : Use water spray or fog for cooling exposed containers.  
**Protection against fire** : Do not enter fire area without proper protective equipment, including respiratory protection.  
**Special procedures** : Exercise caution when fighting any chemical fire.

 <b>Axim</b> Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 2 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 2 / 8 / 2006
<b>FIBRASOL 2P12</b>		<b>AX-070</b>

## 6 ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Equip cleanup crew with proper protection.
- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
- Clean up methods** : Collect spills and put it into appropriated container.

## 7 HANDLING AND STORAGE

- Precautions in handling and storage** : Good ventilation of the workplace required.
- Storage** : Store in dry, cool, well-ventilated area. Keep container closed when not in use.
- Handling** : Ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

## 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

- Personal protection**
- **Respiratory protection** : No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation.
  - **Hand protection** : In case of repeated or prolonged contact wear gloves.
  - **Skin protection** : Not required.
  - **Eye protection** : Even though no specific eye irritation data is available, wear eye protection appropriate to conditions of use when handling this material.
  - **Ingestion** : When using, do not eat, drink or smoke.

## 9 PHYSICAL AND CHEMICAL PROPERTIES


- Physical state at 20 °C** : Fibrous.
- Colour** : White.
- Odour** : Characteristic.
- Melting zone [°C]** : 160 to 170
- Density** : 0.91
- Solubility in water** : Insoluble.
- Auto-ignition temperature [°C]** : > 360

## 10 STABILITY AND REACTIVITY

- Stability and reactivity** : Stable under normal conditions.
- Hazardous decomposition products** : On exposure to high temperature, may decompose, releasing toxic gases.
- Hazardous properties** : Above 390 °C May release flammable gases.
- Conditions to avoid** : Overheating. Open flame.

## 11 TOXICOLOGICAL INFORMATION

- Toxicity information** : No data available.

 <b>Axim</b> Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 3 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 2 / 8 / 2006
<h2>FIBRASOL 2P12</h2>		<h2>AX-070</h2>

### 12 ECOLOGICAL INFORMATION

Ecological effects information : No data available.

### 13 DISPOSAL CONSIDERATIONS

General : Dispose in a safe manner in accordance with local/national regulations.

### 14 TRANSPORT INFORMATION

General information : Not regulated.

### 15 REGULATORY INFORMATION

Symbol(s) : None.

R Phrase(s) : None.

S Phrase(s) : None.

### 16 OTHER INFORMATION

Further information : None.

The contents and format of this SDS are in accordance with Regulation (EC) N° 1907/2006 of the European Parliament and of the Council.

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

**End of document**