

 Axim Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 1 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 8 / 11 / 2007
<h2>CIMFLUID ADAGIO P3</h2>		<h3>AX-091</h3>

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Identification of the product : Powder.
Trade name : CIMFLUID ADAGIO P3
Use : Industrial.
Company identification : AXIM
 Usine Ciments Calcia
 78931 Guerville Cedex FRANCE
 Tél. +33 1 30 98 36 36
 Tél. +33 1 30 98 36 32 Madame Lesêtre
Name and function of the responsible person : Fleur Lesêtre - Responsable de laboratoire
 email : FLesetre@axim.fr
Emergency phone nr : Paris : +33 1 40 05 48 48

2 HAZARDS IDENTIFICATION

Symptoms relating to use
 - **Inhalation** : Dust from this product may cause respiratory irritation.
 - **Skin contact** : Not expected to present a significant skin hazard under anticipated conditions of normal use.
 - **Eye contact** : Dust from this product may cause eye irritation.
 - **Ingestion** : Not expected to present a significant ingestion hazard under anticipated conditions of normal use. Must not come into contact with food or be consumed.

3 COMPOSITION / INFORMATION ON INGREDIENTS

Components : This product is not hazardous.

Substance name	Contents	CAS No	EC No	Annex No	Classification
Anionic polymer in powder	100 %	----	----	----	

4 FIRST AID MEASURES

First aid measures
 - **Inhalation** : Assure fresh air breathing.
 - **Skin contact** : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
 - **Eye contact** : Rinse immediately with plenty of water.
 - **Ingestion** : Rinse mouth. Do not induce vomiting. Seek medical advice (show the label where possible).

5 FIRE-FIGHTING MEASURES

Specific hazards : Avoid raising powdered materials into airborne dust.
Prevention : No naked lights. No smoking.
Extinguishing media : All extinguishing media can be used.
Surrounding fires : Use water spray or fog for cooling exposed containers.
Protection against fire : Do not enter fire area without proper protective equipment, including respiratory protection.
Special procedures : Exercise caution when fighting any chemical fire.

 Axim Italcementi Group	<h1>SAFETY DATA SHEET</h1>	Page : 2 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 8 / 11 / 2007
CIMFLUID ADAGIO P3		AX-091

6 ACCIDENTAL RELEASE MEASURES

- General precautions** : Product may be dangerously slippery on contact with water if spilled.
- Personal precautions** : Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.
- Environmental precautions** : Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.
- Clean up methods** : On land, sweep or shovel into suitable containers. Do not use water.

7 HANDLING AND STORAGE

- Precautions in handling and storage** : Avoid raising powdered materials into airborne dust.
- Storage** : Store in dry, cool, well-ventilated area. Keep container closed when not in use.
Avoid : Extremely high or low temperatures.
Keep at temperature not exceeding 35 °C.
- Handling** : Do not breathe dust. Ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

- Personal protection**
- **Respiratory protection** : Where excessive dust may result, wear approved mask.
 - **Hand protection** : Use rubber gloves.
 - **Skin protection** : No special protection required where adequate ventilation is maintained.
 - **Eye protection** : Where excessive dust may result, wear goggles.
 - **Ingestion** : When using, do not eat, drink or smoke.
- Industrial hygiene** : Provide local exhaust or general room ventilation to minimize exposure to dust.

9 PHYSICAL AND CHEMICAL PROPERTIES

- Physical state at 20 °C** : Powder.
- Colour** : White.
- Odour** : Odourless.
- pH value** : 4 - 9 @ 5 g/l
- Bulk density** : 0.5 - 0.7

10 STABILITY AND REACTIVITY

- Stability and reactivity** : Stable under normal conditions.
- Hazardous decomposition products** : Thermal decomposition generates : Carbon dioxide. Carbon monoxide. Nitrogen oxides.
- Hazardous polymerization** : Will not occur.
- Materials to avoid** : Bases. Oxidizing agent.

11 TOXICOLOGICAL INFORMATION

Toxicity information

	SAFETY DATA SHEET	Page : 3 / 3
		Revised edition no : 2
		Date : 17 / 11 / 2008
		Supersedes : 8 / 11 / 2007
CIMFLUID ADAGIO P3		AX-091

11 TOXICOLOGICAL INFORMATION (continued)

- Inhalation : Dust from this product may cause irritation to the respiratory tract.
- Ocular : Dust from this product may cause eye irritation.

12 ECOLOGICAL INFORMATION

- LC50-96 Hour - fish [mg/l] : > 100 (Danio Rerio)
- 48 Hour-EC50 - Daphnia magna [mg/l] : > 100
- IC50 72h Algae [mg/l] : > 100 (Scenedesmus subspicatus)

13 DISPOSAL CONSIDERATIONS

- General : Dispose in a safe manner in accordance with local/national regulations.

14 TRANSPORT INFORMATION

- General information : Not regulated.

15 REGULATORY INFORMATION

- Symbol(s) : None.
- R Phrase(s) : None.
- S Phrase(s) : None.

16 OTHER INFORMATION

- Further information : None.

The contents and format of this SDS are in accordance with Regulation (EC) N° 1907/2006 of the European Parliament and of the Council.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document